




The Air Source® C.A.R.T.

CONTINUOUS AIR RESOURCE TRANSPORT

Operating and Maintenance Instruction Manual

*THE AIR SOURCE® C.A.R.T.
Model F-ASC-001-001*

*THE AIR SOURCE® C.A.R.T.
Model F-ASC-SCUBA*



SUPER CAN INDUSTRIES, INC.
7007 Bristol Pike
Levittown, Pennsylvania 19057
215-945-1075 / Fax 215-945-7888

ASCmanual.lwp
Series "D"
Revision 2
March 26, 2006

PRODUCT DEDICATION

I would like to dedicate the development of the Air Source® C.A.R.T. to two individuals who became my mentors, teachers, confessors, and best friends. This product is dedicated to Chief James Hughes (March 5, 1940 - August 20, 1990). Jim served as Chief of the Bristol Borough fire fighting forces from 1970 through 1974. Jim's devotion to the volunteer fire service was an inspiration to all of us young officers in the fire service. His logic, fairness, and professional approach to all problems within the fire service molded many young people into exceptional fire officers. Jim is sorely missed by many, but forgotten by none. His untimely death from cancer on August 20, 1990 at the age of 50 shocked and saddened all of us who knew, loved and respected him. The second individual that this product is dedicated to is Chief William Mulholland. Bill dedicated over 30 years of his life to the American Fire Service, and served in just about every capacity in the fire service that one can imagine. As Fire Chief of the Falls Township Fire Company No. 1, Bill supervised all of the fire fighting forces that participated in the K-Mart Distribution Center fire of June 21, 1982. This 1.1 million square foot warehouse fire kept firefighters on location for a week. Bill served on many Bucks County, Pa. fire service committees and boards and assisted in the expansion of all fire related county agencies such as the fire school, communications system, EMS program, and 911 emergency response implementation. Bill also served as a Director in the Eastern Division of the IAFC, and in January 1992 was seated as the President of the Keystone State Fire Chiefs Association. Bill also served in many capacities in the Eastern Division of the International Association of Fire Chiefs, ultimately serving as President immediately prior to his death. Bill's undying devotion to the safety and well-being of all firefighters is an inspiration to all of us. Bill's untimely passing on July 3, 1993 will leave a great void in the volunteer fire service community.

"Friendships multiply joys and divide griefs." -- Henry George Bonn (1796-1884)

ABOUT THE INVENTOR OF THE AIRSOURCE® C.A.R.T.

The Air Source® C.A.R.T. was designed and built by Joseph M. Nelson, Sr., who serves as the independent sales and technical advisor of Super Can Industries, Inc. Joe has been a volunteer firefighter for 26 years with the Bristol, Pa. fire service. For 19 of those 26 years, Joe served as Fire Chief of the Bristol Volunteer Fire Co. No. 6, and was the driving force behind the formation of the Dive Rescue Team. In his 26 years as a volunteer firefighter, Joe served in all aspects of fire fighting including engine companies, rescue companies, ladder companies, tactical foam companies, and dive rescue operations. In April of 1991, Joe retired as a Fire Chief to devote his time and energy in designing and marketing new innovative products for the fire service. The Air Source® C.A.R.T. is the first of these endeavors.

SPECIAL ACKNOWLEDGMENTS

I would like to take the time to thank all of my fellow firefighters whose opinions, experience, comments, and suggestions brought the Air Source® C.A.R.T. from a concept into a reality. A special thanks to the dedicated officers and members of the Philadelphia Fire Department's Heavy Rescue 1. These highly motivated, dedicated individuals, under the command of Captain William Schweizer, assisted in every stage of the research and development of the Air Source® C.A.R.T. It is always a pleasure to work with people who are dedicated to their career, and the members of Heavy Rescue 1 exemplify the meaning of the word "professional".

SPECIAL NOTES

The Air Source® C.A.R.T. was designed with every possible safety consideration. From the self-arming alarm system to the personnel locator system, we kept the firefighter and rescuer in mind. Our concerns for the safety and well-being of firefighters and rescuers is due to the fact that we also are firefighters. We have faced the same situations and conditions that you will face in the future. It is our belief that Murphy was an optimist when he wrote, "ANYTHING THAT CAN GO WRONG, WILL". In our experience on difficult operations, we discovered that "EVERYTHING THAT COULD GO WRONG, DID GO WRONG."

Table of Contents

1.0 INTRODUCTION	Page 4
1.1 IMPORTANT INFORMATION	Page 4
1.2 AIR SOURCE® C.A.R.T. OVERVIEW	Page 5
1.3 THE CONCEPT OF THE AIR SOURCE® C.A.R.T.	Page 5
1.4 WHAT YOU MUST KNOW TO USE THE AIR SOURCE® C.A.R.T.	Page 5
1.5 AIR SOURCE® C.A.R.T. MODELS AND DESCRIPTIONS	Page 6
1.5.1 The Air Source® ASC C.A.R.T.	Page 6
1.5.2 The Air Source® SCUBA C.A.R.T.	Page 6
1.5.3 Option Codes	Page 6
1.6 UNPACKING THE AIR SOURCE® C.A.R.T.	Page 7
1.7 CONNECTING THE BATTERY	Page 8
1.8 SETTING UP THE AIR SOURCE® C.A.R.T.	Page 8
1.9 MAIN FRAME TO WHEELED FRAME INTERFACE	Page 10
2.0 CONNECTING SUPPLY CYLINDERS TO THE MAIN FRAME UNIT	Page 10
2.1 TRANSPORTING THE C.A.R.T.	Page 11
2.2 GOING INTO SERVICE WITH THE C.A.R.T.	Page 11
2.3 PROCEDURE FOR CHANGING CYLINDERS	Page 11
2.4 USE OF THE OPTIONAL HIGH PRESSURE INLET (HPI) ASSEMBLY	Page 12
2.5 USE OF THE OPTIONAL HIGH PRESSURE OUTLET (HPO) ASSEMBLY	Page 12
2.6 USING THE HIGH PRESSURE CHECKED VALVE INLET ASSEMBLY	Page 13
2.7 RAISING AND LOWERING THE MAIN FRAME UNIT	Page 13
2.8 ELECTRONIC CONTROL MODULE (ECM)	Page 14
2.8.1 Operation and Activation	Page 14
2.8.2 TEST RESET BUTTON (ECM)	Page 14
2.8.3 SHUT-DOWN PROCEDURE (ECM)	Page 14
3.0 CARE AND MAINTENANCE OF THE AIR SOURCE® C.A.R.T.	Page 14
3.1 MANUFACTURER'S WARRANTY	Page 15
3.2 TOLL-FREE TECHNICAL SUPPORT HOTLINE	Page 15
3.3 EMERGENCY AIR SOURCE® C.A.R.T. LOANER PROGRAM	Page 15
3.4 RECOMMENDED C.A.R.T. MAINTENACE PROCEDURES	Page 15

